Line Array Sound System

Hang Seng University of Hong Kong Hang Shin Link, Siu Lek Yuen, Shatin, N.T., Hong Kong

© Sunrise Trading Company

3 .-

R



.

Main Building | 4/F | Hall



Stage Monitor

Line-array Column Speaker **QP-16**

1

QP-16 2 pcs Line-array Column Speaker (wall-mounted installation)

Main Building | 4/F | Hall





HSUHK



QP-16

Line-array Column Speaker

(wall-mounted installation)

Driver Sensitivity SPL Rating power Frequency response System Impedence Horizontal Board casting

1000.0

2"×16 pcs 98 dB (1w @ 1m) 118 dB 240 Watt 100~20kHz (±10 dB) 8 ohm 180 degs @1kHz 120 degs @2kHz 100 degs @4kHz

3

HSUHK

Line-array Column Speaker QP-16

Main Building | 4/F | Hall

Front-half

QP-16 4 pcs Line-array Column Speaker (wall-mounted installation)





Main Building | 4/F | Hall

Back-half

QP-16 2 pcs Line-array Column Speaker (wall-mounted installation)




QP-16 Line-array Column Speaker


N

(wall-mounted installation)



HSUHK - Main Building | 4/F | Hall





Q&D ®

15" active subwoofer

SWP-15

Main Building | 4/F | Hall

Q&D

.

10. 3

HSUHK



Digital Mixing Console Power Amplifier

Main Building 5/F

Control ROOM

- 1 рс 4 pc

© Sunrise Trading Company

9