

**IP-66
P.A.
Speaker**



Civil Aid Service - Yuen Tun Camp

Yuen Tun Old Village, Tsing Lung Tau, Tsuen Wan, N.T., Hong Kong



Training Area

MUH-6300 4 pcs
Music Horn Loudspeaker
(vertical installation)



Music Horn Loudspeaker
MUH-6300



MUH-6300

Music Horn Loudspeaker

Ingress Protected to IEC529 - IP66 suitable for indoor and outdoor use.



CAS - Yuen Tun Camp

Training Area

COS-3300

4 pcs

Column Loudspeaker
(horizontal installation)

Column Loudspeaker
COS-3300






COS-3300

Column Loudspeaker

Ingress Protected to IEC529 – IP66
suitable for indoor and outdoor use.



IEC standard 60529

REM.1

IP Rating

Ingress Protection Rating

A.K.A **IP Code**









International Protection Marking

Ingress Protection (IP) ratings are developed by the European Committee for Electro Technical Standardization (CENELEC) (described IEC/EN 60529) to specify the environmental protection an enclosure provides.

SOLIDS

Objects greater than 50mm		1
Objects greater than 12.5 mm		2
Objects greater than 2.5mm		3
Objects greater than 1 mm		4
Dust protected		5
Dust tight		6

LIQUIDS

1		Dripping water
2		Dripping water when tilted at 15°
3		Spraying water up to 60° from the vertical
4		Water splash from any direction
5		Water jets from a nozzle of 6.3mm
6		Powerful water jets
7		Submersion of up to 1m depth
8		Submersion for depth of 1m or more

IP -

6 **6**

1st digit


2nd digit

IP, standing for an Ingress Protection is often found in the form of a table. An IP rating is a measure of an enclosure or cases ability to resist items entering it.

Training Area

Rack

1 pcs



MASCOT
Wireless Mic. System
UXD-200

Chanstek
Power Sequencer
PF800

Chanstek
Mixer Amplifier
VBP-240

Civil Aid Service



Yuen Tun Camp

Uphill +

© Sunrise Trading Company

C l a s s r o o m

Civil Aid Service

Cabinet Loudspeaker
CAL-5300

2 ▷

3 ▽

4 ▽

Left hand
side wall

+


CAL-5300

4 pcs

Cabinet Loudspeaker

Yuen Tun Camp

Rigth hand side wall



CAL-5300

Cabinet Loudspeaker

4 pcs

ProfileSUB

On-wall Subwoofer

1 pc



Cabinet Loudspeaker
CAL-5300

On-wall Subwoofer
ProfileSUB



CAL-5300 +

Music Horn Loudspeaker

Designed utilizing CES Audio's anechoic test facilities with state of the art digital system analysis for accurate cabinet specification.



Civil Aid Service




ProfileSUB

on-wall subwoofer
(black - with black grille)



Yuen Tun Camp



GALLO ACOUSTICS

ProfileSUB

on-wall subwoofer

ProfileSub provides powerful yet controlled bass extension in a discreet, design-conscious package.

Hang ProfileSub on the wall in a horizontal or vertical orientation, or alternatively hide it from view under a piece of furniture such as a sofa.



CAS - Yuen Tun Camp

© Sunrise Trading Company

Rack



Wireless Microphone System

2 pc

Power Sequencer

1 pc

Audio Mixing Console

1 pc

Media Controller

1 pc

Power Amplifier

1 pc