

**LINE
ARRAY**
Sound System



St. Mary's Canossian College
162 Austin Road, Tsimshatsui, Kowloon

© Sunrise Trading Company

HALL

Left-side

Line-array
Column Loudspeaker 3 pcs

1

Line-array Column Speaker
QP-16

2

3

G/F

3

2

1

Line-array Column Speaker
QP-16

DSP Active Subwoofer
SWP-12

DSP Active Subwoofer
SWP-12

Right-side

Line-array
Column Loudspeaker **3** pcs

DSP
Active Subwoofer **2** pcs



SWP-12

12" Active Subwoofer with DSP
(placed on the floor)

15" woofer driver integrated with 1000-watt amplifier,
output for 2 Column Speaker @ 4Ω

DSP controlled by Computer Application
with USB connection
for both Column Speaker & Subwoofer itself.





QP-16

Line-array Column Speaker

(wall-mounted installation)

16 speaker drive mounted in a line and fed in phase.

Reducing the reverberation and echo that Traditional Speaker would make. Enhance STIPA by improving Speech Intelligibility.

St. Mary's Canossian College | School Hall

42U RACK

- Wireless Microphone Receiver**
- with wireless Microhpone
- Digital Mixing Console**
- Power Sequencer**
- Power Amplifier**

- 2 pcs**
- 4 pcs**
- 1 pc**
- 1 pc**
- 1 pc**

MASCOT

UXD-200

Wireless Microphone Receiver

(rack-mounted installation)

True diversity transmission range:
up to 100 meter / 300 feet.

700 available UHF frequency channels.
Up to 8 systems can be used simultaneously.



St. Mary's Canossian College | School Hall



behringer

X32 Producer

Digital Mixing Console

(rack-mounted installation)

40-Input, 25-Bus Rack-Mountable Digital Mixing Console with 16 Programmable Midas Preamps

17 Motorized Faders, 32 Channel Audio Interface and iPad/iPhone* Remote Control

St. Mary's Canossian College | School Hall



定致粹
步伐

