

2.4Ghz Microphone System



明道教育

Lumos Education

Room 103-106, 1/F, Hanford House, 221 Nathan Road, Jordan

© Sunrise Trading Company

+ Classroom

2.4 Ghz Wireless Microphone **2** pcs

2.4 Ghz Wireless Mic. Receiver **1** pc

Mixer Amplifier **1** pc

2-way Cabinet Speaker **2** pcs

Girder

Speaker

(Wall-mount installation)

2 pcs

Cabinet Speaker
Q-430-T

2 2 U R a c k +

SENRUN[®]

GR-26 & GL-33

2.4 GHz
Wireless Microphone System

GR-26 has our latest 2.4G technology, unique CODE will not be interfered by other. The microphone GL-33 can automatically scan frequency and quickly connect to the amplifier. You can use up to 2 microphones. It is especially suitable for conference rooms and classrooms.

Chanstek**VAP-120B**

Mixer Amplifier



VAP series integrated BT / USB / SD / MMC and digital FM Tuner module. Can drive both low impedance loudspeakers at $6\Omega \sim 8\Omega$, and high impedance 70V / 100V line

OUTPUT POWER : 120W
FREQ. RESPONSE : 100Hz ~ 16KHz ($\pm 3\text{dB}$)

© Sunrise Trading Company

